

### ASSOCIATION OF PHYSICIAN ASSISTANTS IN OBSTETRICS AND GYNECOLOGY

# Quick Links News Webinars Students Career Center





## The Harmony Prenatal Test is validated for pregnant women of all ages\*

\*both under 35 and over 35 age groups, studies have included women ages 18-48. This is a lab developed test and has not been deared or approved by the US FDA.

### 2017 APAOG Webinars

Recognizing and Responding to Human Trafficking as Healthcare Providers

Speaker: Nani Cuadrado, MSPAS, PA-C



September 12, 2017 - Register Today! 5PM PT/7PM CT/8PM ET


- Define human trafficking (HT)
- Understand the impact of HT
- Understand risk factors of HT
- Become familiar with indicators of HT
- Understand available resources for victims of HT

APAOG members may view recorded webinars at anytime. Please check out our latest addition, Menopause, Where are we now? presented by Elyse Watkins, PA-C.

<u>Click here to view the webinar library</u>. \*Must be logged in to view webinar library.

### **Research Survey**

Do you have 5 minutes to spare? Bethel University's Physician Assistant Program is conducting a research study looking at the relationship between religious affiliation and views of the prescribing of long-acting, reversible contraceptive methods. The research will be conducted by means of a short survey which is attached to this email. Please feel free to contact researcher Kayla Westling, PA-S (kaw57258@bethel.edu), researcher Ashley Overby, PA-S (aso57553@bethel.edu), or Research chair Lisa Naser, PA-C



(<u>I-naser@bethel.edu</u>) with any questions or concerns! Thank you!

Follow this link to the Survey: Religion and Contraception

### **Clinical Updates**

Recommendations for breast cancer screening in average risk women have been included in the Practice Bulletins for the American Congress of Obstetricians and Gynecologists. The recommendations for screening mammography state the following: "Updated recommendations include that averagerisk women be offered screening at age 40, or no later than 50 years. Screening should be continued every one or two years until at least age 75." ACOG encourages shared decision making for all about breast cancer screening decisions. A comparison of breast cancer screening recommendations in average risk women as developed by several recommending bodies can be found here.

The U.S. Preventative Services Task Force issues a statement in July recommending against ovarian cancer screening in women without symptoms, stating that clinicians "should not screen for ovarian cancer in women who have no signs or symptoms of the disease". This reaffirms their statement from 2012. This recommendation does not apply to women with BRCA I/II mutations.

Clinical Updates has been a standard part of the monthly eNewsletter for several months and now we are looking for member feedback regarding this component. Please take a few minutes to complete a 4 question survey through survey monkey via the attached link. Your feedback is important to us as we strive to present you with valuable and relevant information.

Click here to take the survey.

### **APAOG's Newest Members**

### Welcome to the APAOG's newest members in July: Fellow

### **Affiliate**

Sarah Talbott

Lei Zhu

#### Olivia Funes

Mariah Pignone

**Associate** 

### Student

- Anna Beth Deaton
  - Emily Kohler

### **Job Openings**

Seeking NP/PA(Full or Part-Time)

Ocala, Florida

Surgical and LDRP Physician Assistant Opportunity Nashua, NH

Are You Interested in Posting a Job?

<u>Click here</u> to submit your job posting today! Job postings run for 45 days and are free for members.

### **Events**

**APAOG Webinar:** 

Recognizing and Responding to Human Trafficking as Healthcare Providers

September 12, 2017

Learn more

Email APAOG to promote an event in your area today!

Association of Physician Assistants in Obstetrics & Gynecology

563 Carter Court, Suite B, Kimberly WI 54136

920-560-5620 / 800-545-0636 920-882-3655 (fax)

Email: APAOG@badgerbay.co

<u>Facebook</u> Unsubscribe